

## XD HTF

### INDUSTRIAL INHIBITED PROPYLENE BASED HEAT TRANSFER FLUID

GLY-PRO™ XD is a robust industrial-grade propylene glycol solution specifically engineered to withstand harsh conditions and hard water dilution. This product is designed to provide optimal performance and longevity in demanding environments, such as manufacturing facilities and heavy-duty industrial processes.

#### FEATURES

- Designed for industrial systems
- Engineered OAT multi-metal inhibitors
- Wide operating temperature range
- Low oral toxicity
- Safe handling and easy to use

#### APPLICATIONS

GLY-PRO™ XD HTF finds extensive use in a wide range of industrial settings due to its superior performance and versatility. Below are some common applications:

##### Industrial Process Heating and Cooling:

- Secondary Refrigerant Applications
- Hot Water Heating Systems
- Heat Reclaim

##### HVAC Systems:

- Chilled Water Systems
- Commercial Buildings
- Industrial Facilities

##### Manufacturing Processes:

- Metalworking & Laser Cutting
- Plastics Manufacturing

#### KEY BENEFITS

- Inhibitor package provides anti-fouling of pipework
- Suitable for hard water dilution
- Increases plant efficiency
- Long service life
- Manufactured in Australia

##### Other Industrial Applications:

- Solar Thermal Systems.
- Geothermal Heating and Cooling
- Power Generation

In essence, GLY-PRO™ XD is a reliable and efficient heat transfer fluid that can be used in a variety of industrial applications, providing optimal performance and cost-effectiveness.

#### TECHNICAL DATA

SPEC	PROPERTIES
Colour	Clear to Yellow
pH	9,7
RA (mL)	7,5
Density (g/ml)	1.040

